

KOYO K30X35X27H needle roller bearings



K30X35X27H Bearing 2D drawings and 3D CAD models

Bearing No. K30X35X27H

Bore Diameter	30 mm
Outer Diameter	35 mm
Fw	30 mm
Ew	35 mm
Bc	27 mm
Weight	0.032 Kg
Basic dynamic load rating (C)	30.6 kN
Basic static load rating (C0)	59.0 kN
(Grease) Lubrication Speed	9300 r/min
(Oil) Lubrication Speed	14000 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.03
EAN	0060579021302
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly Only
Enclosure	Not Applicable
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	Not Applicable



Jinan Kaidong Bearing Co., Ltd.

Inch - Metric	Metric
Thrust Bearing	No
Long Description	30MM Bore; 35MM Outside Diameter; 27MM Width; Needle Roller Bearing; Roller Assembly Only; No Self Aligning; Retainer; Single Row of Rollers; No Separable
Other Features	Radial Roller Hardened Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	K30X35X27H
Weight / LBS	0.071
Width	1.063 Inch 27 Millimeter
Bore	1.181 Inch 30 Millimeter
Outside Diameter	1.378 Inch 35 Millimeter
Bearing No.	K30X35X27H
Cr	30.6
C0r	59.0
Cu	9.10
Grease lub.	9300
Oil lub.	14000
P/S	S
(Refer.) Mass(kg)	0.032
Shaft(max.)	30.000
Shaft(min.)	29.991
Housing(max.)	35.025
Housing(min.)	35.009



Jinan Kaidong Bearing Co., Ltd.